



10x/11x

ŁAŃCUCHY ROLKOWE

nierdzewne / niklowane

MoraviaŘetězy



Chain		Pitch	Roller diameter	Inner width		Pin		Plate		Transverse pitch	Min. tensile strength	Average tensile strength	Mass per meter
ISO	ANSI	P	A	B	C	D	E	F	g		kN	kN	kg/m

NEREZ

	35SS	9,525	5,08	4,77	3,58	12,40	13,17	9,00	1,30		5,5	6,6	0,33
	40SS	12,700	7,95	7,85	3,96	16,60	17,80	12,00	1,50		9,6	10,8	0,63
	50SS	15,875	10,16	9,40	5,08	20,70	22,20	15,09	2,03		15,2	17,2	1,03
	60SS	19,050	11,91	12,57	5,94	25,90	27,70	18,00	2,42		21,7	26,4	1,51
	80SS	25,400	15,88	15,75	7,92	32,70	35,00	24,00	3,25		38,9	46,6	2,62
	100SS	31,750	19,05	18,90	9,53	40,40	44,70	30,00	4,00		60,0	70,2	3,94
04B-1SS		6,000	4,00	2,80	1,85	6,80	7,80	5,00	0,60		2,0	2,4	0,11
05B-1SS		8,000	5,00	3,00	2,31	8,20	8,90	7,10	0,80		3,5	4,1	0,20
06B-1SS		9,525	6,35	5,72	3,28	13,15	14,10	8,20	1,30		6,2	6,8	0,41
08B-1SS		12,700	8,51	7,75	4,45	16,70	18,20	11,80	1,60		12,0	14,3	0,70
10B-1SS		15,875	10,16	9,65	5,08	19,50	20,90	14,70	1,70		14,5	17,2	0,94
12B-1SS		19,050	12,07	11,68	5,72	22,50	24,20	16,00	1,85		18,5	20,9	1,16
16B-1SS		25,400	15,88	17,02	8,28	36,10	37,40	21,00	4,15		40,0	47,6	2,73
20B-1SS		31,750	19,05	19,56	10,19	41,30	45,00	26,40	4,50		59,0	69,6	3,73

Chain		Pitch	Roller diameter	Inner width		Pin		Plate		Transverse pitch	Min. tensile strength	Average tensile strength	Mass per meter
ISO	ANSI	P	A	B	C	D	E	F	g		kN	kN	kg/m

NIKL

	35NP	9,525	5,08	4,77	3,58	12,40	13,17	9,00	1,30		7,9	10,8	0,33
	40NP	12,700	7,95	7,85	3,96	16,60	17,80	12,00	1,50		14,1	17,5	0,62
	50NP	15,875	10,16	9,40	5,08	20,70	22,20	15,09	2,03		22,2	29,4	1,02
	60NP	19,050	11,91	12,57	5,94	25,90	27,70	18,00	2,42		31,8	41,5	1,50
	80NP	25,400	15,88	15,75	7,92	32,70	35,00	24,00	3,25		56,7	69,4	2,60
	100NP	31,750	19,05	18,90	9,53	40,40	44,70	30,00	4,00		88,5	109,2	3,91
04B-1NP		6,000	4,00	2,80	1,85	6,80	7,80	5,00	0,60		3,0	3,2	0,11
05B-1NP		8,000	5,00	3,00	2,31	8,20	8,90	7,10	0,80		5,0	5,9	0,20
06B-1NP		9,525	6,35	5,72	3,28	13,15	14,10	8,20	1,30		9,0	10,4	0,41
08B-1NP		12,700	8,51	7,75	4,45	16,70	18,20	11,80	1,60		18,0	19,4	0,69
10B-1NP		15,875	10,16	9,65	5,08	19,50	20,90	14,70	1,70		22,4	27,5	0,93
12B-1NP		19,050	12,07	11,68	5,72	22,50	24,20	16,00	1,85		29,0	32,2	1,15
16B-1NP		25,400	15,88	17,02	8,28	36,10	37,40	21,00	4,15		60,0	72,8	2,71
20B-1NP		31,750	19,05	19,56	10,19	41,30	45,00	26,40	4,50		95,0	106,7	3,70