



Chain		Pitch	Roller diameter	Inner width	Pin			Plate		Transverse pitch	Min. tensile strength	Average tensile strength	Mass per meter
		P	A	B	C	D	E	g	F	H	kN	kN	kg/m
Simplex													
ASA 25-1	04A-1	6,350	3,30	3,18	2,31	7,90	8,40	0,80	6,00	–	3,50	4,60	0,15
ASA 35-1	06A-1	9,525	5,08	4,77	3,58	12,40	13,17	1,30	9,00	–	7,90	10,80	0,33
ASA 40-1	08A-1	12,700	7,95	7,85	3,96	16,60	17,80	1,50	12,00	–	14,1	17,5	0,62
ASA 50-1	10A-1	15,875	10,16	9,40	5,08	20,70	22,20	2,03	15,09	–	22,2	29,4	1,02
ASA 60-1	12A-1	19,050	11,91	12,57	5,94	25,90	27,70	2,42	18,00	–	31,8	41,5	1,50
ASA 80-1	16A-1	25,400	15,88	15,75	7,92	32,70	35,00	3,25	24,00	–	56,7	69,4	2,60
ASA 100-1	20A-1	31,750	19,05	18,90	9,53	40,40	44,70	4,00	30,00	–	88,5	109,2	3,91
ASA 120-1	24A-1	38,100	22,23	25,22	11,10	50,30	54,30	4,80	35,70	–	127,0	156,3	5,62
ASA 140-1	28A-1	44,450	25,40	25,22	12,70	54,40	59,00	5,60	41,00	–	172,4	212,0	7,50
ASA 160-1	32A-1	50,800	28,58	31,55	14,27	64,80	69,60	6,40	47,80	–	226,8	278,9	10,10
ASA 180-1	36A-1	57,150	35,71	35,48	17,46	72,80	78,60	7,20	53,60	–	280,2	341,8	13,45
ASA 200-1	40A-1	63,500	39,68	37,85	19,85	80,30	87,20	8,00	60,00	–	353,8	431,6	16,15
ASA 240-1	48A-1	76,200	47,63	47,63	23,81	95,50	103,00	9,50	72,39	–	510,3	622,5	23,20
Duplex													
ASA 25-2	04A-2	6,350	3,30	3,18	2,31	14,50	15,00	0,80	6,00	6,40	7,00	8,60	0,28
ASA 35-2	06A-2	9,525	5,08	4,77	3,58	22,50	23,30	1,30	9,00	10,13	15,80	19,70	0,63
ASA 40-2	08A-2	12,700	7,95	7,85	3,96	31,00	32,20	1,50	12,00	14,38	28,2	35,9	1,12
ASA 50-2	10A-2	15,875	10,16	9,40	5,08	38,90	40,40	2,03	15,09	18,11	44,4	58,1	2,00
ASA 60-2	12A-2	19,050	11,91	12,57	5,94	48,80	50,50	2,42	18,00	22,78	63,6	82,1	2,92
ASA 80-2	16A-1	25,400	15,88	15,75	7,92	62,70	64,30	3,25	24,00	29,29	113,4	141,8	5,15
ASA 100-2	20A-2	31,750	19,05	18,90	9,53	76,40	80,50	4,00	30,00	35,76	177,0	219,4	7,80
ASA 120-2	24A-2	38,100	22,23	25,22	11,10	95,80	99,70	4,80	35,70	45,44	254,0	314,9	11,70
ASA 140-2	28A-2	44,450	25,40	25,22	12,70	103,30	107,90	5,60	41,00	48,87	344,8	427,5	15,14
ASA 160-2	32A-2	50,800	28,58	31,55	14,27	123,30	128,10	6,40	47,80	58,55	453,6	562,4	20,14
ASA 180-2	36A-2	57,150	35,71	35,48	17,46	138,60	144,40	7,20	53,60	65,84	560,5	695,0	29,22
ASA 200-2	40A-2	63,500	39,68	37,85	19,85	151,90	158,80	8,00	60,00	71,55	707,6	877,4	32,24
ASA 240-2	48A-2	76,200	47,63	47,63	23,81	183,40	190,80	9,50	72,39	87,83	1020,6	1255,3	45,23
Triplex													
ASA 25-3	04A-3	6,350	3,30	3,18	2,31	21,00	21,50	0,80	6,00	6,40	10,50	12,60	0,44
ASA 35-3	06A-3	9,525	5,08	4,77	3,58	32,70	33,50	1,30	9,00	10,13	23,70	28,60	1,05
ASA 40-3	08A-3	12,700	7,95	7,85	3,96	45,40	46,60	1,50	12,00	14,38	42,3	50,0	1,90
ASA 50-3	10A-3	15,875	10,16	9,40	5,08	57,00	58,50	2,03	15,09	18,11	66,6	77,8	3,09
ASA 60-3	12A-3	19,050	11,91	12,57	5,94	71,50	73,30	2,42	18,00	22,78	95,4	111,1	4,54
ASA 80-3	16A-3	25,400	15,88	15,75	7,92	91,70	93,60	3,25	24,00	29,29	170,1	198,4	7,89
ASA 100-3	20A-3	31,750	19,05	18,90	9,53	112,20	116,30	4,00	30,00	35,76	265,5	309,6	11,77
ASA 120-3	24A-3	38,100	22,23	25,22	11,10	141,40	145,20	4,80	35,70	45,44	381,0	437,2	17,53
ASA 140-3	28A-3	44,450	25,40	25,22	12,70	152,20	156,80	5,60	41,00	48,87	517,2	593,3	22,20
ASA 160-3	32A-3	50,800	28,58	31,55	14,27	181,80	186,60	6,40	47,80	58,55	680,4	780,6	30,02
ASA 180-3	36A-3	57,150	35,71	35,48	17,46	204,40	210,20	7,20	53,60	65,84	840,7	983,6	38,22
ASA 200-3	40A-3	63,500	39,68	37,85	19,85	223,50	230,40	8,00	60,00	71,55	1061,4	1217,8	49,02
ASA 240-3	48A-3	76,200	47,63	47,63	23,81	271,30	278,60	9,50	72,39	87,83	1530,9	1756,5	71,60