



PROFIL: T, T2, T3, CT, CT2, U, K, CK, E, C


T-profil




T2-profil







T3-profil



U-profil



E-profil



CT-profil

CT2-profil

K-profil

CK-profil

C-profil


materiál: PE-UHMW, běžná délka 2m, tepelná odolnost: -200°/+60°(max.80°)

T-profil	řetěz	ISO	AxB	F		W	kg/m
	3/8"x7/32"	06B-1	10x15	1,5		5,4	0,137
	1/2"x5/16"	08B-1	10x20	2,2		7,4	0,175
			15x20	2,2		7,4	0,260
			20x20	2,2		7,4	0,340
	5/8"x3/8"	10B-1	15x20	2,6		9,2	0,250
			20x20	2,6		9,2	0,333
	3/4"x7/16"	12B-1	15x25	2,4		11,3	0,320
			20x25	2,4		11,3	0,430
	1"17,02mm	16B-1	15x40	3,5		16,5	0,450
			20x40	3,5		16,5	0,675

T2-profil	řetěz	ISO	AxB	F	E	W	kg/m
	3/8"x7/32"	06B-2	10x25	1,5	15,74	5,4	0,220
	1/2"x5/16"	08B-2	10x35	2,2	21,42	7,4	0,295
			15x35				0,460
			20x35				0,630
	5/8"x3/8"	10B-2	10x40	2,6	25,79	9,2	0,320
			15x40				0,540
			20x40				0,770
	3/4"x7/16"	12B-2	15x45	2,4	30,76	11,3	0,620
			20x45				0,845
	1"17,02mm	16B-2	15x65	3,5	48,38	16,5	0,860
		20x65				1,185	

T3-profil	řetěz	ISO	AxB	F	E	W	kg/m
	3/8"x7/32"	06B-3	10x35	1,5	25,88	5,4	0,770
	1/2"x5/16"	08B-3	10x45	2,2	35,24	7,4	0,820
			15x45				1,045
			20x45				1,270
	5/8"x3/8"	10B-3	10x55	2,6	42,38	9,2	0,850
			15x55				1,125
			20x55				1,400
	3/4"x7/16"	12B-3	15x60	2,4	50,22	11,3	0,855
			20x60				1,155

kovový C-profil	označení	AxB	D	S	běžná délka v m	kg/m
	C3	10x20	10	1,5	2	0,48
	C5	12x28	14	2	2	0,85
	C9	18x38	22	2,5	2	1,5
	C10	24x30	20	1,5	2	0,95



U-profil	řetěz	ISO	AxB	E	D	F	G	kg/m	
	3/8"x7/32"	06B-1	15x20	9,2	4	4,2	2,8	0,260	
	1/2"x5/16"	08B-1	15x25	12,7	5	4,8	3,5	0,310	
	5/8"x3/8"	10B-1	15x25	15,2	6	5,1	3,6	0,300	
	3/4"x7/16"	12B-1	20x25	16,7	7	5,7	3,9	0,400	
E-profil	řetěz	ISO	AxB	E	W	F	G	kg/m	
	3/8"x7/32"	06B-1	10x20	15	5,4	1,5	4,35	0,188	
	1/2"x5/16"	08B-1	15x25	16,3	7,4	2,2	1,6	0,352	
	5/8"x3/8"	10B-1	15x28	19,2	9,2	2,6	2,1	0,394	
	3/4"x7/16"	12B-1	20x38	28	11,3	2,4	11,11	0,564	
	1"17,02mm	16B-1	25x51	41	16,5	3,5	16,48	0,830	
K-profil	řetěz	ISO	AxB	E	D1	D2	F	G	kg/m
	3/8"x7/32"	06B-1	25x20	9,3	6,8	4	4,4	3,1	0,430
	1/2"x5/16"	08B-1	30x24	12,8	9,0	5	5,3	4,1	0,550
	5/8"x3/8"	10B-1	35x30	15,4	10,7	6	5,5	4,2	0,830
	3/4"x7/16"	12B-1	35x40	16,9	12,7	7	6,2	4,6	1,100
	1"17,02mm	16B-1	45x40	24,4	16,5	9	10,2	9,1	1,220
CT-profil	řetěz	ISO	AxB	C	Ac	W	F	kg/m	
	1/2"x5/16"	08B-1	15x20	C3	17	7,4	2,2	0,820	
	5/8"x3/8"	10B-1	15x20	C3	17	9,2	2,6	0,830	
	3/4"x7/16"	12B-1	15x20	C3	17	11,3	2,4	0,840	
	1"17,02mm	16B-1	15x28	C3	18	16,5	3,5	1,240	
CT2-profil	řetěz	ISO	AxB	C	Ac	W	F	kg/m	
	3/8"x7/32"	06B-2	15x15,7	C3	17	5,4	1,5	0,74	
	1/2"x5/16"	08B-2	15x21,4	C3	17	7,4	2,2	0,84	
	5/8"x3/8"	10B-2	15x25,9	C5	19	9,2	2,6	0,85	
	3/4"x7/16"	12B-2	15x30,7	C5	19	11,3	2,4	1,25	
	1"17,02mm	16B-2	20x48,3	C9	27	16,5	3,5	2,15	
CK-profil	řetěz	ISO	AcxB	C	W	D1	D2	kg/m	
	1/2"x5/16"	08B-1	24x30	C10	7,4	8,7	5	1,295	
	5/8"x3/8"	10B-1	24x30	C10	9,3	10,7	6	1,285	
	3/4"x7/16"	12B-1	24x30	C10	11,3	12,3	7	1,275	

